



HIGH QUALITY FEED FOR *PENAEUS MONODON*





- HIGH QUALITY FEED FOR *PENAEUS MONODON*

- Tomboy is a superior quality shrimp feed range optimized for the production of *P. monodon*.
- It is available in 9 sizes, including mini-pellets, adapted to the different life stages.
- Raw materials are selected strictly based on their digestibility and palatability to stimulate the feed intake thus allowing the shrimp to reach its full growth potential.
- The production process enables the creation of homogeneous and dust free feed particles, and ensures minimal nutrient loss prior to ingestion. These characteristics assist to maintain high water quality in production systems.

NUTRITION FACTS

Feed Code	Feed form	Packaging (kg/bag)	Crude protein (% min.)	Crude Fat (%)	Ash (% max.)	Fiber (% max.)	Moisture (% max.)
Tomboy 0	Powder < 25 mesh	4 bags x 2.5kg	42	6 - 8	14	3	11
Tomboy 1	Crumble 18 -25 mesh	2 bags x 5 kg	42	6 - 8	14	3	11
Tomboy 2	Pellet 1.0 x 1.5-2 mm	10	42	6 - 8	14	3	11
Tomboy 3	Pellet 1.2 x 1.8-2.5 mm	20	42	6 - 8	14	3	11
Tomboy 3P	Pellet 1.6 x 2-4 mm	20	42	6 - 8	14	3	11
Tomboy S1	Pellet 1.8 x 2-4 mm	20	40	6 - 8	15	3	11
Tomboy S2	Pellet 1.8 x 3-5 mm	20	40	6 - 8	15	3	11
Tomboy G1	Pellet 2 x 2-4 mm	20	38	5 - 7	15	3	11
Tomboy G2	Pellet 2 x 3-5 mm	20	38	5 - 7	15	3	11



TOMBOY FEEDING GUIDELINE FOR FEED QUANTITIES GIVEN FOR 100,000 SHRIMP

CODE	Day of culture	Weight (g/pc)	Amount of feed per day (kg/day)	Amount of feed in feeding tray (%)	Checking time (minutes)
TB 0	1	0.02	1.5		
	2	0.04	1.5		
	3	0.06	1.6		
	4	0.08	1.8		
	5	0.1	2		
TB 1	6	0.12	2.2		
	7	0.14	2.4		
	8	0.16	2.6		
	9	0.18	2.8		
	10	0.21	3.2		
	11	0.23	3.4		
	12	0.25	3.6		
	13	0.27	3.8		
	14	0.29	4		
	15	0.32	4.4		
TB 2	16	0.35	4.8		
	17	0.42	5.1		
	18	0.49	5.4		
	19	0.57	6		
	20	0.64	6.5		
	21	0.71	7		
	22	0.8	7.5		
	23	0.88	8		
	24	1.03	8.5		
	25	1.16	9.2		
TB 3	26	1.27	10		
	27	1.38	10.6		
	28	1.5	11.5		
	29	1.7	12.5		
	30	1.82	13.4	1.5	180
	31	1.95	14.2	1.5	150
	32	2.14	15.0	1.5	150
	33	2.31	15.9	1.5	150
	34	2.55	16.5	1.5	150
	35	2.71	17.3	1.5	150
TB 3P	36	2.86	17.9	1.5	150
	37	3.02	18.4	1.5	150
	38	3.16	19.0	1.5	150
	39	3.38	19.5	1.5	150
	40	3.55	19.9	1.5	150

CODE	Day of culture	Weight (g/pc)	Amount of feed per day (kg/day)	Amount of feed in feeding tray (%)	Checking time (minutes)
TB 3P	41	3.83	20.6	1.5	150
	42	4.05	21.2	1.8	150
	43	4.25	21.8	1.8	150
	44	4.49	22.5	1.8	150
TB S1	45	4.7	23.1	1.8	120
	46	4.91	23.8	1.8	120
	47	5.14	24.4	1.8	120
	48	5.29	25.0	1.8	120
	49	5.47	25.7	1.8	120
	50	5.67	26.4	1.8	120
	51	5.89	27.3	1.8	120
	52	6	28.1	2	120
	53	6.26	28.9	2	90
	54	6.4	29.8	2	90
	55	6.62	30.6	2	90
	56	6.88	31.5	2	90
	57	7.15	32.4	2	90
TB S2	58	7.46	33.2	2	90
	59	7.77	34.1	2	90
	60	8.05	34.9	2	90
	61	8.35	35.8	2	90
	62	8.7	36.6	2	90
	63	9.04	37.4	2.5	90
	64	9.38	38.2	2.5	90
	65	9.73	39.0	2.5	90
	66	10.1	39.8	2.5	90
	67	10.47	40.6	2.5	90
	68	10.88	41.4	2.5	90
	69	11.26	42.3	2.5	90
	70	11.74	43.2	2.5	90
	71	12.12	44.0	2.5	90
TB G1	72	12.51	44.8	2.5	90
	73	12.91	45.6	2.5	90
	74	13.32	46.5	3	90
	75	13.74	47.3	3	60
	76	14.15	48.2	3	60
	77	14.56	49.1	3	60
	78	14.98	50.0	3	60
	79	15.42	50.8	3	60
	80	15.86	51.6	3	60

R PENAEUS MONODON

SHRIMPS STARTING FROM PL15



CODE	Day of culture	Weight (g/pc)	Amount of feed per day (kg/day)	Amount of feed in feeding tray (%)	Checking time (minutes)
TB G1	81	16.3	52.3	3	60
	82	16.75	53.0	3	60
	83	17.2	54.7	3.5	60
	84	17.65	55.5	3.5	60
	85	18.13	56.2	3.5	60
	86	18.6	56.9	3.5	60
	87	19.1	57.7	3.5	60
	88	19.61	58.5	3.5	60
	89	20.11	59.2	3.5	60
	90	20.63	60.0	3.5	60
	91	21.15	60.8	3.5	60
	92	21.64	61.4	3.5	60
	93	22.14	62.1	3.5	60
	94	22.63	62.9	3.5	60
	95	23.18	63.6	3.5	60
TB G2	96	23.65	64.2	3.5	60
	97	24.1	64.9	3.5	60
	98	24.53	65.5	3.5	60
	99	24.97	66.1	3.5	60
	100	25.44	66.7	3.5	60
	101	25.87	67.3	3.5	60
	102	26.32	68.0	3.5	60
	103	26.78	68.4	3.5	60
	104	27.24	69.9	3.5	60
	105	27.76	70.5	3.5	60
	106	28.35	71.1	3.5	60
	107	28.88	71.7	3.5	60
	108	29.41	72.1	3.5	60
	109	29.95	72.4	3.5	60
	110	30.49	72.8	3.5	60
	111	31.03	73.2	3.5	60
	112	31.58	73.5	3.5	60
	113	32.15	73.8	3.5	60
	114	32.7	74.0	3.5	60
	115	33.24	74.4	3.5	60
	116	33.81	74.8	3.5	60
	117	34.35	75.2	3.5	60
	118	34.9	75.4	3.5	60
	119	35.45	75.8	3.5	60
	120	36	76.0	3.5	60

ADJUSTMENT OF THE FEED QUANTITY WITH FEEDING TRAYS

No feed remaining	Increase the quantity of feed for the next meal by 5%
Remaining feed: < 5%	Keep the same quantity of feed for the next meal
Remaining feed: 5 - 10%	Decrease the quantity of feed for the next meal by 5%
Remaining feed: 10 - 25%	Decrease the quantity of feed for the next meal by 10%
Remaining feed: > 25%	Stop feeding for the next meal then start feeding again but decreasing the quantity by 50%. Increase to the normal feeding rate when all feed is consumed.

**Feeding frequency: 4 – 5 meals/day*



Skretting is the global leader in providing innovative and sustainable nutritional solutions for the aquaculture industry. Skretting is a wholly-owned subsidiary of Nutreco, a world leader in animal nutrition with headquarters located in the Netherlands. Skretting has production facilities in 19 countries on five continents, and manufactures and delivers high quality feeds from hatching to harvest for more than 60 species. The total annual production volume of feed is more than 2 million tonnes. The head office is located in Stavanger, Norway.

In Vietnam, Skretting is famous for producing superior-quality shrimp and fish feeds for several species, with 2 factories in Long An Province. As well as being a leading feed supplier in Vietnam, Skretting Vietnam also supplies specialty feeds for many major aquaculture operations around South Asia.

Skretting is ideally positioned to contribute towards greater sustainability in the aquaculture industry because of its global presence, its focus on innovation, its technical expertise and its commitment to highest standards of quality and safety.

Raw materials and quality control have always been central to Skretting's business. What sets Skretting apart is the consistency in delivering high performing products to farmers supported by renowned certificates such as: ISO 9001, HACCP, GlobalG.A.P, BAP, and Nutrace®.

Nutrace® is Skretting's company-wide management program that ensures feed-to-food safety and quality. It is internationally recognized and trusted by Skretting Vietnam's customers in Vietnam and throughout the world.



NUTRECO INTERNATIONAL (VIETNAM) CO.,LTD

Thuan Dao Branch - Lot C1&C2, Road 1, Lot C13 Road 14,
Thuan Dao Industrial Park, Long Dinh Commune, Can Duoc District, Long An Province

Tel: (+84 272) 3630 313 | Fax: (+84 272) 3630 317
Email: contact@skretting.com | Website: www.skretting.vn
Facebook: www.facebook.com/skrettingvietnam



GLOBAL G.A.P.
The Global Partnership for Good Agricultural Practice