

Report title GHG Emission Report, v1.1
Indicator 1.21.4

Instructions

This template is intended for reporting greenhouse gas emissions results to ASC. The Feed Standard does not prescribe a specific standard or set of methods for generating GHG values. However, suppliers should be aware that the development of the Farm Standard requirements may necessitate the application of specific methods for feed emissions in the future.

Emissions can be reported in either or both columns using a biophysical or economic allocation approach. Emissions results must be provided according to scope (1-3) as well as by input/activity, being general feed ingredient categories and additional transport and milling emissions that aren't otherwise captured within ingredients. 'Transport and milling' emissions should be at least equal to the sum of scope 1 and scope 2 emissions. If possible, emissions should also be broken down by category (fossil, biogenic, or land use change), facilitated by certain databases and assessment methods. Any uncategorized emissions should be reported as 'Unspecified emissions' (If feed suppliers are unable to determine emissions by category, the total of all emissions can be reported as unspecified).

This template is also expected to reflect the resolution of data that feed suppliers will need to provide to farms to satisfy feed-related emissions modeling for the Farm Standard. Feed suppliers should be ready to adjust the composition of ingredients used in calculations to reflect typical compositions of feeds relevant to each producer, whether



Table 1. Production year

Year of production (yyyy)	2024
---------------------------	------

Table 2. GHG emissions by scope

Emissions scope	GHG emissions per tonne of ASC compliant feed (kg CO ₂ -eq/t)	
	Biophysical (mass) model	Economic model
Scope 1	29.464	29.464
Scope 2	43.418	43.418
Scope 3	2,458	1248.981
Total	2531.117	1321.863

Table 3. GHG emissions by category

Emissions category	Biophysical (mass) model	Economic model
Fossil emissions	1934.452	1020.028
Biogenic emissions	21.22	2.865
Land use change emissions	575.445	298.97
Unspecified emissions	0	
Total	2531.117	1321.863

Table 4. GHG emission by Input / Activity

Input / Activity	Quantity (kg/t)	Biophysical (mass) model	Economic model
Soy crop inputs	84.2	240.918	315.97
Other crop inputs	189.5	184.968	189.474
Reduction fishery inputs	305.263	240.539	305.263
Fishery by-product inputs	326.316	818.713	326.316
Poultry / livestock inputs	93.737	815.35	94.737
Other feed inputs			
Transport and milling			
Total	999.016	2300.488	1231.76

Notes

All emissions values must be reported in units of kg CO₂-equivalent per tonne of ASC compliant feed.

Emissions totals for each section should be equivalent.

Total feed input quantity (kg/t) must equal 1000. Use 'Other feed inputs' to make up any difference from 1000 kg. 'Other feed inputs' should also include vitamins, amino acids, and other microingredients.

Transport-related emissions may be difficult to separate from ingredient production and processing emissions, depending on the data source used. Do not include any transport emissions in 'Transport and milling' that are already counted in the emissions of one of the ingredient groups.